UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/571,181	03/09/2006	Matthias Viehmann	82520	9626
	7590 09/15/200 & KRIEGSMAN	9	EXAM	IINER
30 TURNPIKE ROAD, SUITE 9 SOUTHBOROUGH, MA 01772		WILLIAMS, DON J		
SOUTHBURU	UGH, MA 01772		ART UNIT	PAPER NUMBER
			2878	
			MAIL DATE	DELIVERY MODE
			09/15/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	10/571,181	VIEHMANN, MATTHIAS	
Office Action Summary	Examiner	Art Unit	
	DON WILLIAMS	2878	
The MAILING DATE of this communication a Period for Reply	appears on the cover sheet w	ith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory per - Failure to reply within the set or extended period for reply will, by sta Any reply received by the Office later than three months after the ma earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUN 1.1.136(a). In no event, however, may a iod will apply and will expire SIX (6) MO tute, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 09 2a) This action is FINAL . 2b) T 3) Since this application is in condition for allow closed in accordance with the practice under	his action is non-final. wance except for formal mat	·	
Disposition of Claims			
4) Claim(s) 1-28 is/are pending in the applicating 4a) Of the above claim(s) is/are without 5) Claim(s) is/are allowed. 6) Claim(s) 1-6,8-14,16-19,23-24,26-28 is/are 7) Claim(s) 7,15,20-22 and 25 is/are objected 8) Claim(s) are subject to restriction and Application Papers 9) The specification is objected to by the Exam 10) The drawing(s) filed on 09 March 2009 is/are Applicant may not request that any objection to the specification of the specificant may not request that any objection to the specificant may not request that the specificant may not request the specifica	drawn from consideration. rejected. to. d/or election requirement. iner. e: a)⊠ accepted or b)□ othered the drawing(s) be held in abeya	nce. See 37 CFR 1.85(a).	
Replacement drawing sheet(s) including the corr 11) The oath or declaration is objected to by the).
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the papplication from the International Bure* * See the attached detailed Office action for a light service.	ents have been received. ents have been received in a riority documents have been eau (PCT Rule 17.2(a)).	Application No received in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No	Summary (PTO-413) s)/Mail Date Informal Patent Application 	

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-5, 8-9, 19, 24, & 26-28 are rejected under 35 U.S.C. 102(b) as being anticipated by Pinson (EP0359985).

As to claim 1, Pinson discloses (fig. 1, fig. 2) at least one electrical conductor formed as a single-wire or multi-wire line or cable (34), which connects devices (12, 18), subassemblies or circuit components of the piece of electrical equipment (12, 18) to one another, means (26) which guide the light that emerges when an arc (electrical power) is formed from the site of its formation to an optical/electrical transformer (62) and a monitoring and evaluating unit (20) electrically connected to the transformer (62) for evaluating the signals of transformer (62), is hereby characterized in that the means (26) which guide the light that emerges when an arc (electrical power) is formed to an optical/electrical transformer (62) involve at least one optical fiber (44) which envelops one or more wire cores of the electrical conductor (42) and thus simultaneously forms the electrical insulation (46) of a line or the shielding of a cable (34), (column 3, lines 30-40, column 4, lines 18-36, lines 45-52).

As to claim 2, Pinson discloses (fig. 1, fig. 2) that the arrangement responds to an arc (electrical power), which originates from the electrical conductor (42), whereby

the light originating from the arc (electrical power) is coupled to the optical fiber directly on the inside of the optical fiber (26, 44), (column 4, lines 44-52).

As to claim 3, Pinson discloses (fig. 1, fig. 2) that the arrangement responds to an arc (electrical power) which arises at a contact site (20, 60) of electrical conductor (42) with other units of the piece of electrical equipment (12, 18), this site being formed as a clamp or plug connection (60), whereby the optical fiber (26, 44) is guided into the contact site (60, 20) and the light originating from the arc (electrical power) is coupled axially to a front surface of the optical fiber (26, 44), (column3, lines 30-35, column 4, lines 19-35, lines 45-52, column 5, lines 35-43).

As to claim 4, Pinson discloses (fig. 5A) means (60) for disconnecting the current through the circuit components of the piece of electrical equipment (30) that are affected by the arc (electrical power), and these means (60) are actuated or activated by the monitoring and evaluating unit (20) based on the detection of the arc (electrical power), (column 5, lines 53-56).

As to claim 5, Pinson discloses (fig. 2) that the optical fiber (44) enveloping the one or more wire cores of the electrical conductor (42) is enveloped by an additional electrically insulating cladding (46) that is not transparent to light, (column 4, lines 44-52).

As to claim 8, Pinson discloses (fig. 2) that the electrical conductor (42) that is structured as a wire or a cable (34) is enveloped by several optical fibers (44) separated by intermediate layers (40), (column 4, lines 45-52).

A to claim 9, Pinson discloses (fig. 2) that the combination conductor (42) formed

Application/Control Number: 10/571,181

Art Unit: 2878

by the enveloping of the electrical conductor (42) with the optical fiber (44) is formed as a line that can be trimmed (tapered) in its length, (column 4, lines 44-52).

As to claim 19, Pinson discloses (fig. 1, fig. 2) that the optical fibers (44) of several electrical conductors (42) are guided onto an optical/electrical transformer (62), (column 4, lines 44-52).

As to claim 24, Pinson disclose (fig. 1, fig. 2) that the optical fiber (44) enveloping the electrical conductor (42) serves both for the coupling of the light of a possible arc (electrical power) as well as for the transmission of other useful signals within the monitored piece of electrical equipment (30), (column . 4, lines 25-50).

As to claim 26, Pinson disclose (fig. 1, fig. 2) that the optical/electrical transformer (62) and light-emitting components via transceiver (20) present in the case of using optical fiber (26, 34, 44) for the transmission of useful signals are coupled by means of a slot/clamping technique for coupling and uncoupling light from the outside to the wave guide (26), wherein they are impressed into the wave guide (26) by a claw-like formation with projecting optically active elements, (12, 18), (column 4, lines 18-40, lines 45-50, column 5, lines 35-42).

As to claim 27, Pinson discloses (fig. 1, fig. 2) that information is exchanged between optical/electrical transformer (62) and monitoring and evaluating unit (20, 22) via an electrical conductor (34, 42) enveloped by an optical fiber, (26, 44), (column 4, lines 18-28, lines 45-50).

As to claim 28, Pinson discloses (fig. 1, fig. 2) that information is exchanged between optical/electrical transformer (62) and monitoring and evaluating unit (20, 22)

Art Unit: 2878

via a power line (26, 34) serving simultaneously for the power supply (24) of the monitored piece of electrical equipment (20, 22), (column 4, lines 18-28, lines 45-50).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 6 rejected under 35 U.S.C. 103(a) as being unpatentable over Pinson (EP035985) in view of Di-Vita (4,134,639).

As to claim 6, Pinson discloses (fig. 2) core (36) to define the inner part of the fiber, and outer cover (38) to define the outer cladding of the fiber, (column 4, lines 25-29). Pinson is silent to explicitly disclose that the inner surface of the additional outer cladding is structured in an optically reflecting manner and light reflecting foil. Di-Vita discloses light guides with internally reflecting boundaries (i.e. fibers or foils) between which a transparent body of graded refractive index is interposed, (Abstract, column 1, lines 11-25). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pinson in view of Di Vita to use fiber with internally reflecting foils as a means of transmitting and reflecting light within the inner fiber core resulting in improving the detection of the transmission of arcs or sparks within the device.

Claims 10-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pinson (EP0359985) in view of Stenerhag et al (4,464,700).

As to claim 10, Pinson discloses (fig. 2) an optical fiber (44), and an electrical insulation (46), (column 4, lines 44-52). Pinson is silent to explicitly disclose the optical fiber function simultaneously as insulation or shielding consists of polymer. Polymers are well known in the art for the formation of optical fibers and insulation material. Stenerhag et al discloses (fig. 6) that the outer insulation (42) comprises a mat of fibers of a polymer such as polyethylene or polyproylene, (column 7, lines 19-21). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pinson in view of Stenerhag et al to use any type of polymer properties as claimed in order to form a durable optical fiber resulting in insulation used to encase conductive wirings.

As to claims 11-13, Pinson discloses (fig. 1, fig. 2) optical fiber (26, 44), (column 4, lines 21-28). Pinson is silent to explicitly disclose that optical fibers consist of polymethyl methacrylate, polymethylpentene and polycarbonate. Polymers are well known in the art for the formation of optical fibers. Stenerhag et al discloses (fig. 6) that the outer insulation (42) comprises a mat of fibers of a polymer such as polyethylene or polyproylene, (column 7, lines 19-21). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pinson in view of Stenerhag to use any type of polymer properties as claimed in order to form a durable optical fiber resulting in insulation used to encase conductive wirings.

Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pinson (EP0359985) in view of Ostromek et al (US2005/0094270).

As to claim 14, Pinson discloses (fig. 1) and optical/electrical transformer (62), (column 1, lines. Pinson is silent to explicitly disclose that filters are used for suppressing the effect of extraneous light. Ostromek et al disclose (fig. 1) an optical transformer (30a, 30b) may comprise any device operable to perform an optical transform of light, for example, a lens, a filter, or an electro-optical element, (paragraph [0013]). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pinson in view of Ostromek et al to include the filter in an optical transformer in order to allow selective light to pass and suppress or block out extraneous light resulting in improving the performance of the device.

Claims 16-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pinson (EP0359985).

As to claim 16, Pinson discloses that the optical/electrical transformer (62) can be connected onto an axial end of the optical fiber (26) via a breakaway electrical connector (60) as illustrated in fig. 1, (column 5, lines 54-56). Pinson is silent to explicitly disclose that the optical/electrical transformer can be screwed on. It is well known in the art that connecting, clamping or attaching components to each other is functionally equivalent or serve the same purpose of screwing on components to each other respectively in that a means for connecting the components is developed or formed. It

would have been obvious to one of ordinary skill in the art at the time the invention was made to use the connecting structure as taught by Pinson as a means to attach or screw the optical fiber to the optical/electrical transformer via the breakaway connector in order to improve the accurate detection of an arc or spark resulting in shutting down the device to avoid system damage.

As to claim 17, Pinson discloses (fig 1) that the optical/electrical transformer (62) is connected in the optical fiber via the breakaway electrical connector (60), (column 5, lines 53-56). Pinson is silent to explicitly disclose the optical/electrical transformer is sealed. It is well known in the art that connecting, clamping or attaching components to each other is functionally equivalent or serve the same purpose of sealing components to each other respectively in that a means for connecting the components is developed or formed. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the connecting structure as taught by Pinson as a means to attach or seal the optical fiber to the optical/electrical transformer via the breakaway connector in order to improve the accurate detection of an arc or spark resulting in shutting down the device to avoid system damage.

Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pinson (EP0359985) in view of Kurz et al (4,424,147).

As to claim 18, Pinson discloses (fig. 1) an optical fiber (44), and an optical/electrical transformer (60), (column 4, lines 44-52). Pinson is silent to explicitly disclose the optical/electrical transformer consist of polymer. Polymers are well known

in the art for the formation of transformers. Kurz et al disclose that conductors in transformers are often insulated with polymers such as parylene, (column 1, lines 38-40). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pinson in view of Kurz et al to use the polymer in order to construct an optical/electrical transformer resulting in improving the durability of the transformer.

Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pinson (EP035985) in view of Baker (3,618,526).

As to claim 23, Pinson discloses (fig. 1) optical fibers with long line lengths, (column 4, lines 5-7). Pinson is silent to explicitly disclose light intensifiers. Baker discloses (fig. 1) fiber-optic light intensifier (19) consisting of a plurality of tapered optical fibers, (column 2, lines 50-52). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pinson in view of Baker to incorporate the fiber-optic light intensifier in order to reduce the impinging coherent light beam and increase the output of radiant energy intensity per unit area resulting in improving the performance of the device, (column 2, lines 52-54).

Allowable Subject Matter

Claims 7, 15, 20, 21, 22 & 25 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Art Unit: 2878

The following is a statement of reasons for the indication of allowable subject matter: The prior art fails to teach either singly or in combination that the optical/electrical transformer is constructed in the form of a cap that can be attached to an axial end of the optical fiber or as a disk that can be pushed open, whereupon the electrical conductor projects through the cap or the disk, the optical/electrical transformer is formed as a CCD line, an axial end of an optical fiber that is not sealed off by an optical/electrical transformer mirror-coated of is provided with a reflecting cap, optical emitter disposed in a reflecting for conducting a self-test of the arrangement, wherein the cap is formed as a semi-transparent mirror, which is transparent to light emitted from the optical transmitter disposed in the cap, and that optical signals are differentiated with the help of reference curves filed in the monitoring and evaluating unit for different types of accidentals arcs.

Response to Arguments

Applicant's arguments with respect to claims 1-28 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DON WILLIAMS whose telephone number is (571)272-8538. The examiner can normally be reached on 8:30a.m. to 5:30p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Epps can be reached on 571-272-2328. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/571,181 Page 11

Art Unit: 2878

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Don Williams/ Examiner, Art Unit 2878 /Georgia Y Epps/ Supervisory Patent Examiner, Art Unit 2878